



**SEAL TECH d.o.o.**

**Andrije Hebranga 6, 23000 Zadar, Hrvatska**

Tel: 023/231-761, fax: 023/234-337, e-mail: [sealtech.zadar@gmail.com](mailto:sealtech.zadar@gmail.com)

OIB: 75332433655, IBAN: HR2524810001128000241 kod Kreditne banke d.d., osnovano 1991.g. i upisano kod Trg. suda Zadar br.Tt-13/1566-2, MBS: 060141729, temeljni kapital: 5.271.000,00 HRK uplaćen u cjelosti, MB: 371222

**SEAL TECH - SUFIX**

Zadar, kolovoz 2015.

**Supreme 100m** , transparentni

- 0.30 , 14,5lb
- 0.35 , 19,4lb
- 0.40 , 24,0lb
- 0.45 , 30,0lb
- 0.50 , 38,0lb
- 0.60 , 53,0lb
- 0.70 , 70,0lb

**Supreme 300m** , transparentni

- 0.35 , 19,4lb
- 0.40 , 24,0lb



**Synergy 100m** , transparentni

- 0.30 , 14lb
- 0.35 , 19lb
- 0.40 , 24lb
- 0.45 , 30lb
- 0.50 , 37lb



**Elite 100m** , transparentni

- 0.40 , 29lb
- 0.45 , 34lb
- 0.50 , 43lb



**Zippy Supple Shock Leader 100m , transparentni**

- 0.35 , 12lb
- 0.40 , 15lb
- 0.50 , 30lb
- 0.55 , 40lb
- 0.60 , 50lb
- 0.70 , 60lb
- 0.80 , 80lb
- 1.20 , 150lb



**Superior Leader 100m , transparentni**

- 0.60 , 40lb
- 0.65 , 50lb
- 0.70 , 60lb
- 0.80 , 80lb



**Castable Fluorocarbon 150m , transparentni**

- 0.25 , 8.8lb
- 0.28 , 12.1lb
- 0.30 , 14.5lb
- 0.35 , 18.0lb
- 0.40 , 19.8lb



**Invisiline Fluorocarbon , 20m , transparentni**

- 0.71 , 50lb
- 0.79 , 60lb
- 0.92 , 80lb



**Gyro Braid 100m , tamno zelena upredenica**

- 0.12 , 15lb , 6.5 kg
- 0.14 , 18lb , 8.0 kg
- 0.17 , 20lb , 8.9 kg
- 0.21 , 26lb , 11.9 kg



**Matrix Pro , 6x 100m , multi – kolor upredenica**

- 0.10 , 11lb , 5.2 kg
- 0.12 , 15lb , 6.7kg
- 0.14 , 18lb , 8.4kg
- 0.16 , 20lb , 9.2kg
- 0.18 , 26lb , 12.0kg
- 0.36 , 69lb , 31.2kg
- 0.38 , 81lb , 37.0kg



**832 – Braided line , 120m *Inovativni proizvod !!!***

- 0.08 , 8lb , 3.7kg
- 0.10 , 13lb , 5.9kg
- 0.13 , 18lb , 8.2kg
- 0.15 , 20lb , 9.2kg
- 0.18 , 26lb , 12kg
- 0.42 , 86lb , 39.0kg
- 0.48 , 99lb , 45.0kg

